



Eni i-Sigma CF-4-MU 20W-50

Eni i-Sigma CF-4-MU 20W-50 is a high-performance, multi-grade lubricant which engineered to provide exceptional durability and versatility across demanding heavy-duty applications. This product is well-suited for construction machinery, agricultural equipment and various industrial applications, making it an excellent choice for those seeking a reliable and efficient lubricant to deliver dependable performance.

PROPERTIES AND PERFORMANCE

- Active detergent and dispersant properties, removes and prevents the buildup of harmful deposits on critical engine parts.
- Excellent wear and friction protection, extends component lifespan and provides consistent performance even in severe working conditions.
- Exceptional viscosity stability, enables smoother engine operation and leads to consistent power output and efficiency.
- Good TBN retention, enables to neutralize acidic by-products throughout the service interval.

CHARACTERISTICS (typical figures)

| Characteristics | Method | Unit | Typical Value |
|-------------------|------------|--------------------|---------------|
| Color | Visual | - | B&C |
| Density@15°C | ASTM D4052 | g/ml | 0.8791 |
| Viscosity@100°C | ASTM D445 | mm ² /s | 18.56 |
| Viscosity Index | ASTM D2270 | - | 115 |
| Flash Point (COC) | ASTM D92 | °C | >220 |
| Pour Point | ASTM D97 | °C | -25 |

SPECIFICATIONS

Eni i-Sigma CF-4-MU 20W-50 meets or exceeds the requirements of:

- API CF-4/SG